



SECURITY
FIREPLACE

IGNITE YOUR SENSES


BIS
ULTRA

*A higher standard
of energy efficiency
and performance.*



STANDARD FEATURES

- Amongst the largest non-catalytic combustion controlled fireplaces
- Sturdy cast iron doors
- 24kt gold plated or black doors
- Ceramic glass provides extra margin of safety in cases of extreme heat
- Choice of 2 door styles: Victorian or Contemporary arch shape
- Decorative framed top and bottom louvers
- Removable frame for a clean face application
- Outside air kit (4" I.D. insulated flex pipe x 10 ft. long)
- Outside air adapter
- Refractories simulate a real masonry hearth
- Easy access ash pan
- Knock-out on side and back to connect forced air system

SPECIFICATIONS

- Zero clearance to combustible
- Up to 63% efficiency
- Up to 50,000 Btu
- Heats an area of up to 2,000 sq. ft.*
- Flue size 6" ASHT+, S2100+, Air Cool
- Burn time up to 8-10 hours depending on type of wood used
- Weight - 400 Lbs
- Maximum log size - 19"
- Easy adjustable air intake regulates burn time
- Warnock Hersey approved to ULC-S610 and UL 127 standards
- EPA approved and exceeds EPA standards by 36% with pollution emission levels of 4.8 gr/hr

OPTIONS

- Rigid firescreen** (2 doors)
- Gravity Vent Kits
 - Double duct in brass or black
 - Single duct in brass or black
- Forced air heating kit** for furnace hook-up
- Clean face option
- Choice of decorative ornaments

* May vary depending on individual characteristics of home

** Canada only

The design of the BIS Ultra is an inspirational balance of form and function.


1. Double doors or firescreen* open up to provide a panoramic view of the flames
2. Ash drawer is designed for neater, easier cleaning
3. Air-intake lever allows better combustion control, producing 11,300 BTU/hr to 41,500 BTU/hr. (BTU/hr according to EPA tests with softwood and without supplying more wood. Testing purposes only.)



*Firescreen optional Canada only.



Accessorize with style!
Choose from unique decorative ornaments with magnets designed with elegant simplicity.



Engineered with a secondary burn for the burn-off of gases, the BIS Ultra offers maximum energy efficiency while consuming the least amount of fuel. It's an investment that virtually pays for itself over time.

LET THE FEELING OF WARMTH WRAP ITSELF AROUND YOU. THE BIS ULTRA (BUILT-IN-STOVE) WOODBURNING FIREPLACE NOT ONLY OFFERS AN ELEGANCE THAT DISTINGUISHES IT FROM THE REST, BUT IT ALSO REPRESENTS A HIGHER STANDARD OF ENERGY EFFICIENCY AND PERFORMANCE. DELIVERING UP TO 50,000 BTUs AND A BURN TIME

OF 8 TO 10 HOURS, THE BIS ULTRA CAN WARM AN AREA OF UP TO 2,000 SQ. FT. PLUS YOU HAVE THE OPTION OF CONNECTING IT TO YOUR FORCED AIR HEATING SYSTEM* FOR ADDED COMFORT AND PEACE OF MIND. EMBRACE

THE INTIMATE ATMOSPHERE OF THE BIS ULTRA AND WATCH IT CREATE A WHOLE NEW DIMENSION OF BEAUTY AND WARMTH INSIDE YOUR HOME.

Kindle your spirit




*Canada only.



EXPERIENCE THE WARMTH



ENGINEERED TO BE THE BEST



Thanks to a versatile VENTING SYSTEM, the BIS ULTRA can be connected in a variety of venting configurations. In fact, the BIS ULTRA can be set up in any area of your home, whether upstairs, downstairs or both.



*Canada only.

SECURITY CHIMNEYS INTERNATIONAL

Security Chimneys International Ltd.
2125 Monterey, Laval (Québec)
Canada, H7L 3T6
Tel.: (450) 973-9999 Fax: (450) 973-2222

ISO 9001
CERTIFIED QUALITY

Security Chimneys International is certified ISO 9001, your guarantee of quality and satisfaction for years to come.

Printed in Canada
ABISU-1
08-2001
REV:3

Authorized Dealer